

TestKingfree



Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.
365 days free updates. First attempt guaranteed success.

Select a vendor... Select an test... Your email address [Free Download Demo](#)

We're not the only ones **excited** about TestKingFree Practice Material ...

49625+ customers in 100+ countries use TestKingFree Test Engine. [Meet our customers.](#)

V VOREED

GetCustom

JET ORANGE

iCompany

Paradoxx

iMessenger

What Client's Say

“ Passed yesterday. Very good valid 300-101 dumps. Only 3-4 questions are new. Most questions and answers are valid. But be careful several answers are incorrect. Study hard. ”

 **Wilbur**
★★★★★

“ I got 90%. This dumps contains redunant questions and few errors, but defintily enough to pass. :)Prepare well and study much more.Still valid. ”

 **Beatrice**
★★★★★

<http://www.testkingfree.com/>

Pass For sure Certification Exam Guide and Exam Dumps - TestKingFree

Exam : **C4040-227**

Title : Associate AIX 7
Administration

Vendor : IBM

Version : DEMO

NO.1 Which action will temporarily disable remote login access using telnet and ssh for all non-root accounts?

- A. Update /etc/security/passwd and recycle the inetd subsystem.
- B. Stop the sshd subsystem.
- C. Create a/etc/nologin file.
- D. Set the PermitLogins parameter in /etc/ssh/sshd_config and recycle the sshd daemon.
- E. Touch the /etc/sshd/nologin file and recycle the sshd daemon.

Answer: C

NO.2 After performing a NIM rte install, the administrator noticed that not all filesets are at the correct Technology Level (TL). What action will help the administrator determine why the inconsistent fileset levels were installed?

- A. On the NIM server, run an lppchk to identify if the Software Vital Product Data is valid.
- B. On the NIM client, run oslevel command against the TL to identify missing prerequisites.
- C. Run instfix command on NIM client to determine what filesets are inconsistent.
- D. On the NIM server run the NIM lspp command to identify downlevel filesets contained in the lpp_source.

Answer: D

NO.3 With regard to GLVM mirroring, which of the following is a true statement?

- A. Mirrored locations are limited to being 254 miles apart
- B. Data mirroring is performed over standard TCP/IP networks
- C. GLVM requires any hosted database applications to be mirror-tolerant.
- D. Production and backup sites must use the exact same model of IBM Power System server

Answer: A

NO.4 Which command can be used to monitor I/O activity?

- A. cpio
- B. alstat
- C. iostat
- D. vmstat

Answer: D

NO.5 On a system that currently boots from hdisk0, what command will extend the boot order to include hdisk1?

- A. bootlist-ahdisk0 hdisk1
- B. bosboot-M norm hdisk0 hdisk1
- C. bootlist-m normal hdisk0 hdisk1
- D. bosboot-e hdisk0 hdisk1

Answer: C

NO.6 An administrator is removing a failed disk from a mirrored rootvg volume group. A message directed the administrator to run the chpv -c command.

The administrator ran this command against the last available disk in rootvg.

What is the result of performing this action?

- A. The failed drive is removed from the bootlist.
- B. The boot record was removed from the system.
- C. The ipldevice was re-linked to the available disk device name.
- D. The boot record was updated with the available disk information.

Answer: B

NO.7 In order to enable an AIX host to use one virtual Ethernet adapter to communicate on multiple VLANs, what is required?

- A. The VLAN devices used by the host must be configured with IP addresses on different subnets.
- B. The virtual Ethernet adapter must be set to full duplex in AIX.
- C. VLAN devices must be configured in the AIX host.
- D. The virtual Ethernet adapter must be configured as a trunk adapter.

Answer: C

NO.8 AIX has been installed on an LPAR with 32 GB of memory. What should be checked first, before increasing the paging space beyond the default 512MB?

- A. The maximum memory attribute in the LPAR profile.
- B. Quantity and size of hosted filesystems.
- C. Disk device distribution and utilization.
- D. Paging requirements of applications that will be hosted.

Answer: D

NO.9 Which of the following is a requirement for a concurrent firmware update on a Power Systems server?

- A. The firmware must be upgraded to a new release.
- B. The Power Systems server must have a redundant FSP.
- C. The Power Systems server must be managed by an HMC.
- D. The primary partition must have all system resources assigned.

Answer: C

NO.10 When attempting to connect to a remote system, a long delay is experienced before the login prompt is displayed. Which of the following is the most likely cause of this issue?

- A. The /etc/resolv.conf file on the remote system is missing.
- B. The /etc/resolv.conf file on the remote system has an invalid entry.
- C. The /etc/hosts file on the remote system does not have an entry for itself.
- D. The /etc/hosts file on the remote system has an invalid hostname listed for itself.

Answer: B

NO.11 The/app1 filesystem in appvg did not mount due to a failure replaying jfslog1. Which command will reinitialize jfslog1?

- A. resynclvdm -vjfslog1
- B. logform/dev/jfsiog1
- C. synclvdm appvg jfslog1

D. format-d/dev/jfslog1

Answer: B

NO.12 A host has a single virtual Ethernet adapter (ent0) configured with only a default PVID, and the administrator is trying to determine why it cannot be used to reach any other system on the network. He suspects that it may be caused by a problem in the VLAN configuration.

How would the administrator determine the VLAN for which the adapter was configured?

- A. Use the command 'lsdev -l ent0' on the host to determine the port VLAN ID.
- B. Use the command 'lsattr -El ent0' on the host to determine the port VLAN ID.
- C. Look on the HMC to determine which VLAN is configured for the adapter.
- D. Examine the Shared Ethernet Adapter on the Virtual I/O Server to determine which VLAN the adapter is using.

Answer: C

NO.13 A new security policy dictates that unnecessary default user accounts be removed. Which default user IDs are most eligible for removal?

- A. nobody and adm
- B. root, sys and system
- C. daemon, lpd, adm and guest
- D. nuucp, lpd, and guest

Answer: D

NO.14 An administrator created a log logical volume named dbfs2loglv. Given the following output, why did the system create and use a new log logical volume rather than the log logical volume that the administrator specified?



```

10.1.30.49 - PuTTY
# mklv -y'dbfs2loglv' -t'jfs2log' db2vg 1
dbfs2loglv
# crfs -v jfs2 -m /db2db -g db2vg -A yes -a size=6400M
File system created successfully.
6553196 kilobytes total disk space.
New File System size is 13107200
# mount /db2db
# mount
node          mounted      mounted over  vfs      date      options
-----
/dev/hd4      /            /             jfs2     Sep 28 09:41 rw,log=/dev/hd8
/dev/hd2      /usr        /usr          jfs2     Sep 28 09:41 rw,log=/dev/hd8
/dev/hd9var   /var        /var          jfs2     Sep 28 09:41 rw,log=/dev/hd8
/dev/hd3      /tmp        /tmp          jfs2     Sep 28 09:41 rw,log=/dev/hd8
/dev/hd1      /home       /home         jfs2     Sep 28 09:42 rw,log=/dev/hd8
/dev/hd11admin /admin     /admin        jfs2     Sep 28 09:42 rw,log=/dev/hd8
/proc        /proc       /proc         procfs   Sep 28 09:42 rw
/dev/hd10opt  /opt        /opt          jfs2     Sep 28 09:42 rw,log=/dev/hd8
/dev/livedump /var/adm/ras/livedump jfs2     Sep 28 09:42 rw,log=/dev/hd8
/dev/fslv00   /db2db     /db2db        jfs2     Oct 03 20:59 rw,log=/dev/loglv00
#

```

- A. The filesystem was built with a mirrored logical volume and 2 log logical volumes are needed.
- B. The administrator created the db2fsloglv log but neglected to format it with the logform command.
- C. The db2fsloglv log was created as a JFS log and a JFS2 log was needed.
- D. There was already another filesystem using the db2fsloglv when the filesystem was created

Answer: B

NO.15 An administrator needs to list/query the security attributes for the WPAR syswpar1. Which command will do this?

- A. lssecattr-W syswpar1
- B. lssecconf-w syswpar1
- C. lsattr-s syswpar1
- D. lswpar-S syswpar1

Answer: D

NO.16 How will the following command change the datalv logical volume?

chlv -e m datalv

- A. The logical volume will be encrypted with the key in a file named "m".
- B. The logical volume will be rebalanced across the maximum physical volumes immediately.
- C. The logical volume will have new logical partitions spread across as few disks as possible.
- D. The logical volume will be rebalanced across the minimum number of physical volumes immediately

Answer: C